

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Review date: 7/3/2019 Edition: 1.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1.

Product form : Mixture

: PHAGO'GEL SPS Product name

Product code : 1591 Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Description/Application : Ready to use hydroalcoholic hand disinfection gel

Uses advised against

No additional information available

Details of the supplier of the safety data sheet 1.3.

Christeyns France S.A. rue de la Maladrie 31 F-44120 VERTOU - FRANCE

T +33 (0)240 80 27 27 - F +33 (0)240 03 09 73

health-security@christeyns.fr - www.christeyns.com

Emergency telephone number 1.4.

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service Medical Toxicology Unit		0870 243 2241	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 Serious eye damage/eye irritation, Category H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

: Danger

CLP Signal word

: H225 - Highly flammable liquid and vapour. Hazard statements (CLP)

H319 - Causes serious eye irritation.

Precautionary statements (CLP) P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

Other hazards

No additional information available

8/27/2019 EN (English) 1/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-no) 64-17-5 (Einecs nr) 200-578-6 (EG annex nr) 603-002-00-5 (REACH-no) 01-2119457610-43	50 - 80	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Propan-2-ol	(CAS-no) 67-63-0 (Einecs nr) 200-661-7 (EG annex nr) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : In case of doubt or persistent symptoms, consult always a physician. For symptom description,

see item 11.

Inhalation: Move to fresh air.Skin contact: Rinse with water.

Eye contact : Wash with plenty of water and if necessary take medical advice.

Ingestion : Rinse mouth. Do not induce vomiting. Ask for medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : No data available.

Acute effects skin : No data available.

Acute effects eyes : Causes serious eye irritation.

Acute effects oral route : No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam, powder, carbon dioxide (CO2), water spray.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Wash away remainder with plenty of water.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

8/27/2019 EN (English) 2/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling : Do not eat, drink or smoke when using this product. Shower, eyes shower and water point in

proximity.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Protect from heat and direct sunlight.

Storage temperature : 5 - 30 °C

Material(s) to avoid : Not determined.

Storage area : Store in a cool area. Keep container in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)		
EU	IOELV TWA (mg/m³)	1900 mg/m³
EU	IOELV TWA (ppm)	1000 ppm
EU	IOELV STEL (mg/m³)	9500 mg/m³
EU	IOELV STEL (ppm)	5000 ppm
France	VME (mg/m³)	1900 mg/m³
France	VME (ppm)	1000 ppm
France	VLE (mg/m³)	9500 mg/m³
France	VLE (ppm)	5000 ppm
Ireland	Local name	Ethanol
Ireland	OEL (15 min ref) (ppm)	1000 ppm
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE
Propan-2-ol (67-63-0)		
EU	IOELV STEL (mg/m³)	980 mg/m³
EU	IOELV STEL (ppm)	400 ppm
France	VLE (mg/m³)	980 mg/m³
France	VLE (ppm)	400 ppm
Ireland	Local name	Isopropyl alcohol
Ireland	OEL (8 hours ref) (ppm)	200 ppm
Ireland	OEL (15 min ref) (ppm)	400 ppm
Ireland	Notes (IE)	Sk
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

Ethanol (64-17-5)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1900 mg/m³
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	950 mg/m³
Long-term - systemic effects,oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m³
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day

8/27/2019 EN (English) 3/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethanol (64-17-5)	
PNEC (Water)	
PNEC aqua (freshwater)	0.96 mg/l
PNEC aqua (marine water)	0.79 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.6 mg/kg dwt
PNEC sediment (marine water)	2.9 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.63 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	0.72 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	580 mg/l

8.2. Exposure controls

Hand protection:

No

Eye protection:

No

Protective equipment:

No special required clothing

Respiratory protection:

No

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Physical state/form : viscous liquid.
Colour : Colourless.
Odour : alcohol odour.
Odour threshold : No data available

pH : 7.6

Relative evaporation rate (butylacetate=1) : No data available
Melting point/range : No data available
Freezing point : No data available

Boiling point/Boiling range : > 35 °C Flash point : = 20 °C

Autoignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available : No data available Vapour pressure Relative vapour density at 20 °C : No data available : 0.858 - 0.873 (20°C) Relative density Solubility : Water: 100 % 20°C Log Pow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available : No data available Oxidising properties **Explosive limits** : No data available

9.2. Other information

VOC content : 73.9 %

SECTION 10: Stability and reactivity

10.1. Reactivity

8/27/2019 EN (English) 4/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

No additional information available

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Direct sunlight.

10.5. Incompatible materials

Do not mix with other products. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Ethanol (64-17-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	> 20 mg/l/4h
Propan-2-ol (67-63-0)	

1 100411 2 01 (01 00 0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 inhalation rat (mg/l)	> 25 mg/l/4h

Skin corrosion/irritation : Not classified pH: 7.6

Serious eye damage/irritation : Causes serious eye irritation.

pH: 7.6

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Ethanol (64-17-5)		
LC50 fish 1	11200 mg/l	
ErC50 (algae)	275 mg/l	
Propan-2-ol (67-63-0)		
LC50 fish 1	9640 mg/l	
EC50 Daphnia 1	9714 mg/l	
ErC50 (algae)	> 100 mg/l	

12.2. Persistence and degradability

Ethanol (64-17-5)	
Biochemical oxygen demand (BOD)	0.1 g O₂/g substance

8/27/2019 EN (English) 5/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethanol (64-17-5)	
Chemical oxygen demand (COD)	1.9 g O _z /g substance
Propan-2-ol (67-63-0)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Ethanol (64-17-5)	
Log Kow	-0.3

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Regional legislation (waste) : Follow the local regulation.

Waste treatment methods : Dispose of in accordance with relevant local regulations.

: Do not discharge into drains or the environment. Waste / unused products

HP Code : HP3 - "Flammable:"

flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel

and light heating oils having a flash point > 55 °C and ≤ 75 °C;

- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

flammable solid waste: solid waste which is readily combustible or may cause or contribute

to fire through friction;

- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard

pressure of 101.3 kPa;

water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities:

— other flammable waste: flammable aerosols, flammable self-heating waste, flammable

organic peroxides and flammable self-reactive waste.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. **UN** number

: 1993 UN-No. (ADR)

14.2. **UN** proper shipping name

Proper shipping name : Flammable liquid, N.S.A contains ethanol mixture

Transport document description (ADR) : UN 1993 Flammable liquid, N.S.A contains ethanol mixture, 3, III, (D/E)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3 : 3 Danger labels (ADR)



14.4. Packing group

Packing group (ADR) : 111

14.5. **Environmental hazards**

8/27/2019 EN (English) 6/7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dangerous for the environment : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Transport category (ADR) : 3
Tunnel code : D/E

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 73.9 %

Other information, restriction and prohibition

regulations

: Not affected by the conditions of restriction _ ANNEXE XVII.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Other information

: It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users. Such information is actually to be best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other product(s). EC Regulation 1272/2008 and its amendments.

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		
H225	Highly flammable liquid and vapour.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Eye Irrit. 2	H319	Calculation method

It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product

8/27/2019 EN (English) 7/7